

MTB






T/F:86-573-84288533



E-mail: mtbmachinery@163.com



D7 Wanyang Innovation City,
Ganyao Town, JiaShan County, 314100, ZheJiang, China



MTB

JIAXING MTB MACHINERY CO.,LTD

MTB

MTB is a professional manufacturer and exporter that is concerned with design, development and production of Robot welding tables、Welding fixture、Hand tools、Electric tools、Hydraulic equipment etc. We are located in Jiashan, Zhejiang, China with convenient transportation access. All of our products comply with international quality standards and are greatly appreciated in a variety of different markets throughout the world.

Our well-equipped facilities and excellent quality control throughout all stages of production enables us to guarantee total customer satisfaction.

We attached great importance to innovate new products according to customer's demand, and received quite a few utility model patent certificates. Moreover most of innovative products are sold well during these years.

As a result of our high quality products and outstanding customer service, we have gained a global sales network reaching Europe、USA and Asia etc..

We are looking forward to forming successful business relationships with new clients around the world in the near future.



MTB



M16I05



M16F02



M16I04

ITEM	M16I05	M16I04	M16I01	M16I02	M16I03	M16F02
PRODUCT NAME	3D WELDING TABLE	3D WELDING TABLE	3D WELDING TABLE	3D WELDING TABLE	3D WELDING TABLE	2D WELDING TABLE
TABLE SIZE(MM)	1000*1000	1200*1200	2000*1000	2400*1200	3000*1500	1000*1000
TABLE MATERIAL	355 STEEL	355 STEEL	355 STEEL	355 STEEL	355 STEEL	355 STEEL
TABLE TOP FINISH	Plasma Nitriding Coating	Plasma Nitriding Coating	Plasma Nitriding Coating	Plasma Nitriding Coating	Plasma Nitriding Coating	Plasma Nitriding Coating
TABLE HEIGHT(MM)	850	850	850	850	850	850
TABLE SIDE HEIGHT(MM)	200	200	200	200	200	/
TOP PLATE THICKNESS(MM)	25	25	25	25	25	25
GRID PATTERN(MM)	100*100	100*100	100*100	100*100	100*100	100*100
TABLE HOLE DIA (Ø)MM	28	28	28	28	28	28
STATIC LOAD CAPACITY (K)	2000	2000	3000	4000	6000	2000
NUMBER OF LES	4	4	4	4	6	4
N.W.:(KG)	322	427	655	901	1380	250



M16H03

M16H01



M16H04A

M16H05

ITEM	M16H03	M16H01	M16H02	M16H04A	M16H05
PRODUCT NAME	3D WELDING TABLE	3D WELDING TABLE	3D WELDING TABLE	3D WELDING TABLE	3D WELDING TABLE
TABLE SIZE(MM)	1200*1200			1200*800	1200*800
TABLE MATERIAL	355 STEEL	355 STEEL	355 STEEL	355 STEEL	355 STEEL
TABLE TOP FINISH	Plasma Nitriding Coating	Plasma Nitriding Coating	Plasma Nitriding Coating	Plasma Nitriding Coating	Plasma Nitriding Coating
TABLE HEIGHT(MM)	900	900	900	900	460-950
TABLE SIDE HEIGHT(MM)	100	100	100	65	65
TOP PLATE THICKNESS(MM)	12	12	12	12	13
GRID PATTERN(MM)	50*50	50*50	50*50	50*50	50*50
TABLE HOLE DIA (Ø)MM	16	16	16	16	16
STATIC LOAD CAPACITY (K)	1500	2000	2000	/	/
NUMBER OF LES	4	4	4	4	/
N.W.:(KG)	264	315	315	153	233.6



M16C01




M16G01A




M06A03A



M16A01



M16F01A



M16E01B

ITEM	M16C01	M16G01A	M06A03A	M16A01
PRODUCT NAME	2D WELDING TABLE	2D WELDING TABLE	2D WELDING TABLE CART	3D WELDING TABLE
TABLE SIZE(MM)	1200*800	1000*750	915*460	915*460
TABLE MATERIAL	STEEL	STEEL	STEEL	STEEL
TABLE TOP FINISH	/	/	BLACK OXIDE/Galvanized	/
TABLE HEIGHT(MM)	900	950	930	940
TOP PLATE THICKNESS(MM)	10	5	3	3
GRID PATTERN(MM)	100*100	50*50	63.5*63.5	50*50
TABLE HOLE DIA (Ø)MM	16	16	16	16
N.W.:(KG)	95	57	28	23.5
PACKAGE MEAS	122*85*12	102*77*8	95*50*9	95*50*8

ITEM	M16E01B	M16E01A	M16F03A	M16F04B	M16F05A	M16D01A
PRODUCT NAME	3D WELDING TABLE	3D WELDING TABLE	3D WELDING TABLE	3D WELDING TABLE	3D WELDING TABLE	3D WELDING TABLE
TABLE SIZE(MM)	1200*1200	1000*800	1800*900	900*600	1000*750	1200*800
TABLE MATERIAL	STEEL	STEEL	STEEL	STEEL	STEEL	STEEL
TABLE HEIGHT(MM)	900	900	900	900	900	900
TABLE SIDE HEIGHT(MM)	150	150	150	100	150	150
TOP PLATE THICKNESS(MM)	6	6	6	6	6	6
GRID PATTERN(MM)	50*50	50*50	50*50	50*50	50*50	50*50
TABLE HOLE DIA (Ø)MM	16	16	16	16	16	16
N.W.:(KG)	170	110	195	75	100	115



M16Z01

ITEM	M16Z01	M16Z01A	M16Z01B
PRODUCT NAME	Plasma Cutting Table	Plasma Cutting Table	Plasma Cutting Table
TABLE SIZE(MM)	1000*750	1200*800	800*450
TABLE MATERIAL	STEEL	STEEL	STEEL
TABLE TOP FINISH	/	/	/
TABLE HEIGHT(MM)	900	900	900
TOP PLATE THICKNESS(MM)	5	5	5
N.W.:(KG)	35/9	41/11	26/4
PACKAGE MEAS	103*24*9/88*42*3	121*24*9/105*51*3	91*24*9/67*33*3

M16C03

40 PC SQUARE & ROUND WELDING TABLE CLAMP KIT

Includes

- 4 x Weld Clamps
- 4 x Insert Stops
- 4 x Positioning Bars
- 8 x Round Material Rests
- 4 x Spacers M16C03
- 4 x Multi-Purpose Riser/Stops
- 8 x Magnetic Rests
- 4 x Threaded Adaptors



M16I01-04A

42 PC WELDING TABLE CLAMPING&FIXTURING KIT

Includes

- 4pcs of 175 x 75 x 50mm Stop / Clamping Square (1 Hole + 1 Slot)
- 4pcs of 175 x 175 x 50mm Stop / Clamping Square (3 Hole + 1 Slot)
- 2pcs of 275 x 175 x 50mm Stop / Clamping Square (5 Hole + 1 Slot)
- 4pcs of 150 x 50 x 25 Universal Stop (1 Slot)
- 4pcs of 90 / 120 Degree V-Cross Support
- 8pcs of 180 Degree Adjustable Clamp with T-Bar Handle
- 2pcs of 90 Degree Adjustable Clamp with T-Bar Handle
- 12pcs of Ball Lock Pin 28 x 50mm
- 1pc of Ground Connector
- 1pc of Steel Hole Cleaning Brush




M16I01-04D

96PC WELDING TABLE CLAMPING&FIXTURING KIT

Includes

- 4pcs of 175 x 75 x 50mm Stop / Clamping Square (1 Hole + 1 Slot)
- 4pcs of 175 x 175 x 50mm Stop / Clamping Square (3 Hole + 1 Slot)
- 2pcs of 275 x 175 x 50mm Stop / Clamping Square (5 Hole + 1 Slot)
- 4pcs of 100 x 50 x 25 Straight Bar Stop (2 Holes)
- 8pcs of 150 x 50 x 25 Straight Bar Stop (1 Hole + 1 Slot)
- 2pcs of 300 x 50 x 25 Straight Bar Stop (3 Holes + 1 Slot)
- 4pcs of 175 x 175 x 25 L-Bracket (3 Holes + 1 Slot)
- 4pcs of 75mm Eccentric Pad
- 8pcs of 90 / 120 Degree V-Cross Support
- 1 set of Circular Adjusting Spacers
- 12pcs of 180 Degree Adjustable Clamp with T-Bar Handle
- 8pcs of 45 Degree Adjustable Clamp with T-Bar Handle
- 16pcs of Ball Lock Pin 28 x 50mm
- 8pcs of Ball Lock Pin 28 x 75mm
- 4pcs of Countersink Ball Lock Pin 28 x 50mm
- 4pcs of Double Countersink Lock Pin 28 x 50mm
- 1pc of Ground Connector
- 1pc of Steel Hole Cleaning Brush
- 1pc of Oil Stone





M16I01-03B



M16I01-03C



M16I01-03A

ITEM	M16I01-03A	M16I01-03C	M16I01-03B
PRODUCT NAME	90 DEGREE WELDING	45 DEGREE WELDING	180 DEGREE WELDING
SIZE(MM)	300*155	300*300*155	300*300*155



M16I01-18A



M16I01-18B



M16I01-18C



M16I01-18D



M16I01-18E



M16I01-18F



M16I01-18G

ITEM	M16I01-18A	M16I01-18B	M16I01-18C	M16I01-18D	M16I01-18E	M16I01-18F	M16I01-18G
PRODUCT NAME	BALL LOCK PIN	Countersink Lock PIN	Dual Countersink Lock PIN	BALL LOCK PIN	Countersink Lock PIN	MAGNETIC PLUG PIN	MAGNETIC PLUG PIN
SIZE(MM)	28*75	28*50	28*50	28*50	28*75	28*25	28*50



M16C01-62ALR



M16C01-62BLR



M16C01-62CLR



M16I01-12CLR

ITEM	M16C01-62CLR	M16C01-62BLR	M16C01-62ALR	M16I01-12CLR
PRODUCT NAME	ANGLE BRACKET SET	ANGLE BRACKET SET	ANGLE BRACKET SET	ANGLE BRACKET SET
SIZE(MM)	600*200*50	400*200*50	300*200*50	800*375*100



M16I01-17A



M16I01-17C




M16I01-17B



M16I01-17D

ITEM	M16I01-17A	M16I01-17B	M16I01-17C	M16I01-17D
PRODUCT NAME	RISER BLOCK	RISER BLOCK	RISER BLOCK	RISER BLOCK
SIZE(MM)	500*200*200	1000*200*200	1500*200*200	2000*200*200



M16I01-16A



M16I01-16C



M16I01-16D



M16I01-16E



M16I01-16B

ITEM	M16I01-16A	M16I01-16B	M16I01-16C	M16I01-16D	M16I01-16E
PRODUCT NAME	Straight Bar Stop	Straight Bar Stop	Straight Bar Stop	Straight Bar Stop	Straight Bar Stop
SIZE(MM)	150*50*25	300*50*25	100*50*25	225*50*25	500*75*25



M16I01-02




M16C01-55A




M16C01-55B



M16C01-58A



M16C01-53B



M16C01-53D



M16C01-53C

ITEM	M16I01-02	M16C01-55A	M16C01-55B	M16C01-53D	M16C01-53C	M16C01-53B	M16C01-58A
PRODUCT NAME	ADJUSTABLE ANGLE BRACKET	L BRACKET	L BRACKET	RIGHT ANGLE BRACKET/STOP	RIGHT ANGLE BRACKET/STOP	RIGHT ANGLE BRACKET/STOP	RIGHT ANGLE BRACKET/STOP
SIZE(MM)	500*100*100	105*105*30	155*180*30	140*90*30	90*90*30	90*40*30	40*40*30



M16C01-54A

M16C01-54B

M16C01-54C

M16C01-56B

ITEM	M16C01-56B	M16C01-54C	M16C01-54B	M16C01-54A
PRODUCT NAME	T BRACKET	CLAMPING SQUARE	CLAMPING SQUARE	CLAMPING SQUARE
SIZE(MM)	130*90*30	140*90*300*50	140*90*200*50	140*90*105*50



M16C01-07

M16C01-010

M16C01-014

M16C01-04

M16C01-020

M16C01-021

ITEM	M16C01-07	M16C01-08	M16C01-09	M16C01-10	M16C01-11	M16C01-12
PRODUCT NAME	UNIVERSAL TILTING WELDING TABLE CLAMP	WELDING TABLE CLAMP	WELDING TABLE CLAMP	WELDING TABLE CLAMP	WELDING TABLE CLAMP	WELDING TABLE CLAMP
THROAT DEPTH(mm)	120	80	80	100	100	100
HEIGHT OPENING (mm)	120	150	250	200	300	500

ITEM	M16C01-13	M16C01-14	M16C01-04	M16C01-18	M16C01-20	M16C01-21
PRODUCT NAME	RATCHET WELDING TABLE CLAMP	RATCHET WELDING TABLE CLAMP	ADJUSTABLE WELDING TABLE CLAMP	WELD CLAMPS WITH LOCKING NUTS (2 PAC PACK)	WELD CLAMPS WITH LOCKING NUTS (2 PAC PACK)	WELD CLAMPS WITH LOCKING NUTS (2 PAC PACK)
THROAT DEPTH(mm)	120	120	25-140	100	80	60
HEIGHT OPENING (mm)	200	300	100	200	200	125



M16C01-019C

M16C01-019B

M16C01-019F

M16C01-019D

ITEM	M16C01-019A	M16C01-019C	M16C01-019E	M16C01-019G	M16C01-019D	M16C01-019B	M16C01-019F
PRODUCT NAME	BALL LOCK PIN	BALL LOCK PIN	BALL LOCK PIN	BALL LOCK PIN	MAGNETIC PLUG PIN	Dual COUNTERSINK LOCK PIN	COUNTERSINK LOCK PIN
SIZE(MM)	16*24	16*18	16*36	16*28	16*12	16*24	16*24



M16C01-015


M16C01-016

M16C01-017

M16C01-58A

M16C01-13

ITEM	M16C01-015	M16C01-016	M16C01-58A	M16C01-017	M16C01-13
PRODUCT NAME	MAGNETIC REST PAD	MAGNETIC V-PAD	MAGNETIC V-PAD	SIDE CLAMP	MULTI-PURPOSE RISER/STOPS(SPIGOT TYPE)
SIZE(MM)	/	90/135°	90/120°	/	/
SIZE(MM)	Φ38*12	Φ40*15	Φ58*35	50mm (H)	Φ25*50



M16Y01

ITEM	M16Y01
PRODUCT NAME	Welding positioner
TABLE SIZE(MM)	330
Capacity	770/265LB
TABLE HEIGHT(MM)	500
Rotation Speed	0~5rpm
Tilt Angle	-45~90 degree
Motor	150W 0.2HP



M06B02



M06B02A



M06B04


ITEM	M06B04	M06B02A	M06B02
PRODUCT NAME	WELDING CART	WELDER TROLLEY CART	WELDER TROLLEY CART
SIZE(MM)	1000*420*970	800*390*960	785*300*670



M16I01-07



M16C01-027



ITEM	M16C01-027	M16I01-07
PRODUCT NAME	D16 Assembly Cart	D28 Assembly Cart
TABLE MATERIAL	355 STEEL	355 STEEL
TABLE HOLE DIA (Ø)MM	16	28
SIZE(MM)	600*455*975	1010*610*990

The product is designed with 16mm/28mm holes to accommodate welding table clamps or jigs.
The lower shelf gives you convenient storage for your welder or other tools.
The product can be disassembled, which can make it more portable.
Four swiveling castors allow for easy mobility so when you have completed your job and need the floorspace, unlock the casters and simply move the table away.